

Tribin E

Alkaline circulation cleaner with active chlorine

Properties

- dissolves grease, protein and other organic soiling
- foam-free
- particularly good value

Application

Tribin E is a chlorine-containing, alkaline cleaner concentrate. It is particularly suitable for dissolving protein and grease deposits. Tribin E can be used for basic and maintenance cleaning of all chlorine and alkali-resistant surfaces. It is particularly suitable for cleaning and degreasing production vessels, containers, tanks and pipelines in the food processing industry. In addition to immersion bath processes and manual cleaning, Tribin E is also ideal for crate washing systems and CIP cleaning processes where foam development is a problem. The product cannot be used for cleaning aluminum surfaces.

After cleaning with Tribin E, rinse with water of drinking water quality. Tribin E is suitable for use on materials such as stainless steel (1.4301, 1.4571) and alkali-resistant plastics under the specified conditions of use.

Dosing

Crate washing / continuous flow systems

Concentration	0,3 - 1,0 %
Temperature	50 - 60 °C
Exposure time	gemäß Maschinentakt
Addition	After cleaning with Tribin E, rinse with drinking water quality.

Pipelines, mixing containers, tanks

Concentration	0,5 - 2,0 %
Temperature	50 - 70 °C
Exposure time	10 - 45 min.
Addition	After cleaning with Tribin E, rinse with drinking water quality.

Technical data

Density (20°C)	pH-value	Conductance (1%; 20°C)
1,23 kg / l	12,00 - 13,00 ; 1 %	8,5; 1 % mS/cm

Titration

Prepare 10 ml application solution and destroy the chlorine by adding a spatula tip of sodium thiosulphate. Titrate with 0.1 N hydrochloric acid against the indicator phenolphthalein.

Consumption (ml) x 0.31 = concentration in %

Notes

Storage:

Store the product only in the original container and in a frost-free place between +5 and +20°C. Avoid direct sunlight. Please reseal the container tightly after removing partial quantities.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.